

10/526480
BT01 Rec'd PCT/PTC 04 MAR 2005

ABSTRACT OF THE DISCLOSURE

A method for forming a molybdenum-lanthana alloy is described wherein a non-sag microstructure is achieved by mechanically working an as-sintered or recrystallized body to obtain a degree of deformation of from about 7% to about 18% and then subjecting the lightly worked body to a final recrystallization.